

ERPINGHAM UNION

RURAL SANITARY AUTHORITY.

---

***Vital Statistics for 1903.***

---

**Population.**

At the census of 1901 the population was 16,389, viz :—

Males.	Females.
8155	8234

The estimated population for the year ending 1903, is 17,000, and that of the Registration Sub-districts as under :—

Cromer Sub-district	...	5607
Holt	„	7015
Repps	„	4378
		<hr/>
		17,000
		<hr/>

Estimated increase in the population during the year, 223.

**Births.**

Males.	Females.	Total.
231	219	450

Increase of births over deaths=223.

Birth-rate=26·47 per 1000 of the population.

The births almost doubled the total of deaths.

**Deaths.**

Males.	Females.	Total.
103	124	227

There was 1 death less than in 1902.

Death-rate=13·35 per 1000 of the population, and remains the same as in 1901 and 1902.

Zymotic death-rate=88 per 1000 of the population.

Infantile death-rate=95·55 per 1000 registered births.

There is a decrease of 16 per 1000 of infantile deaths.

---

---

**Deaths according to Sex and Ages.**

		Males.	Females.	Total.
Under 1 year	...	24	19	43
1 year and under 5 years		4	9	13
5 years and under 15	„	3	4	7
15	„ „ 25	6	8	14
25	„ „ 65	17	29	46
65	„ and upwards	49	55	104
		103	124	227

---

## The Causes of Death.

Diphtheria ... ..	1		Hemiplegia ... ..	3
Measles ... ..	10		Paralysis ... ..	3
Whooping Cough ...	4		Asthenia ... ..	3
Influenza ... ..	3		Unknown ... ..	5
Pneumonia ... ..	9	} 40	Accidents ... ..	2
Bronchitis ... ..	15		Arterial Sclerosis ...	3
Pleurisy ... ..	2		Diabetes ... ..	3
Inflammation of Lungs	1		Meningitis ... ..	4
Tuberculosis ... ..	2	} 15	Softening of Brain...	1
Phthisis ... ..	11		Cerebral Apoplexy ...	2
Epithelioma of Face ...	2		Cerebral Hæmorrhage ...	3
Carcinoma of Stomach	2		Phlegmasia Dolens...	1
Cancer „ ... ..	2	} 28	Emphysema ... ..	1
Cancer of Uterus ... ..	2		Bowel Obstruction...	1
Carcinoma ... ..	1		Stomach Disease ... ..	1
Epithelioma of Neck ...	1		Gallstones ... ..	2
Carcinoma of Breast ...	1	} 15	Granular Kidney ... ..	2
Carcinoma of Rectum	2		Kidney Disease ... ..	3
Cancer of Colon ... ..	1		Gastritis ... ..	1
Cancer of Uvula ... ..	1		Stomatitis ... ..	1
Heart Disease ... ..	11	} 28	Gastric Ulcer ... ..	1
Heart Failure ... ..	3		Gastric Catarrh ... ..	1
Cardiac „ ... ..	2		Cirrhosis of Liver ... ..	1
Mitral Incompetence...	2		Prostatitis ... ..	1
Cardiac Disease ... ..	1	} 22	Hypertrophy of Prostrate	1
Aortic Incompetence	1		Obstructive Jaundice ...	1
Cardiac Valvular Disease	1		Symphadenoma ... ..	3
Morbis Cordis ... ..	2		Chronic Nephritis ... ..	2
Mitral Disease ... ..	2	} 28	Intestinal Obstruction ...	1
Mitral Obstruction ... ..	1		Disseminated Sclerosis ...	1
Aortic Disease ... ..	1		Tetanus ... ..	1
Cardiac Degeneration	1		Locomotor Ataxia ... ..	1
Premature Birth ... ..	6	} 22	Gangrene of Foot ... ..	1
Immaturity ... ..	2		Melancholia ... ..	1
Prematurity ... ..	1		Natural Causes ... ..	1
Malposition of Fœtus	1		Ulcerated Leg ... ..	1
Debility from Birth ...	2	} 22	Rheumatism ... ..	1
Convulsions ... ..	5		Hip Disease ... ..	1
Inanition ... ..	1		Tumour ... ..	2
Suffocation ... ..	2		Dropsy ... ..	1
Suicide ... ..	2	} 22	Eczema ... ..	1
Drowned ... ..	1		Hydrocephalus ... ..	2
Marasmus ... ..	2		Aphthoe ... ..	1
Senectus ... ..	10		Muscular Atrophy ... ..	1
Senile Decay ... ..	5	} 22	Congenital Debility ...	1
Old Age ... ..	4			
Debility of Age ... ..	3			
General Debility ... ..	2			
General Œdema ... ..	2			

### The Principal Causes of Death.

			Under 5 yrs.	Over 5 yrs.	Total.
Diphtheria	...	...	—	1	1
Measles	...	...	7	3	10
Whooping Cough	...	...	4	—	4
Influenza	...	...	—	3	3
Phthisis	...	...	—	11	11
Bronchitis, Pneumonia and Pleurisy			8	18	26
Cancer	...	...	—	12	12
Heart Diseases	...	...	1	27	28
Other Diseases	...	...	36	96	132
			56	171	227

### Zymotic Disease.

There was only 1 death from the notifiable Zymotic Diseases, viz :—Diphtheria, 1.

There were also 14 deaths from Zymotic Disease, viz :—Measles 10, Whooping Cough 4. (These do not come under the Notification of Diseases Act in this district).

### Zymotic Deaths according to Ages and Locality.

Registration Sub-District.			Under 5 yrs.	Over 5 yrs.	Total.
Cromer	...	...	5	1	6
Holt	...	...	4	3	7
Repps	...	...	2	—	2
			11	4	15

## Deaths from Zymotic Diseases according to Locality.

## CROMER SUB-DISTRICT.

			Measles.	Whooping Cough.	Total.
Aylmerton	...	...	2	—	2
Matlask	...	...	—	1	1
Runton	...	...	1	—	1
Sheringham, Upper	...	...	1	—	1
Beckham Workhouse	...	...	1	—	1
			5	1	6

## HOLT SUB-DISTRICT.

			Diphtheria.	Measles.	Whooping Cough.	Total.
Holt	...	...	1	3	—	4
Letheringsett	...	...	—	1	—	1
Briston	...	...	—	—	1	1
Cley	...	...	—	—	1	1
			1	4	2	7

## REPPS SUB-DISTRICT.

			Measles.	Whooping Cough.	Total.
Mundesley	...	...	1	—	1
Southrepps	...	...	—	1	1
			1	1	2

# ZYMOTIC DISEASE.

## The Monthly Returns of Notification of Diseases according to Ages.

		Under 5 yrs.	Over 5 yrs.	Total.
January	...	—	—	—
February	...	—	1	1
March	...	2	3	5
April	...	2	3	5
May	...	1	3	4
June	...	—	—	—
July	...	2	4	6
August	...	—	1	1
September	...	1	2	3
October	...	—	—	—
November	...	1	2	3
December	...	1	3	4
		10	22	32

## The Monthly Returns of Notifications according to Diseases.

	Small Pox.	Diphtheria	Scarlet Fever.	Typhoid Fever.	Erysipelas.	Total.
January	—	—	—	—	—	—
February	—	—	—	—	1	1
March	—	—	5	—	—	5
April	—	1	4	—	—	5
May	—	2	2	—	—	4
June	—	—	—	—	—	—
July	—	—	5	—	1	6
August	1	—	—	—	—	1
September	—	—	2	—	1	3
October	—	—	—	—	—	—
November	—	—	1	1	1	3
December	—	—	3	—	1	4
	1	3	22	1	5	32



**The Number of Cases under the Notification of  
Diseases Act were :**

PARISHES.	Small- pox.	Diph- theria.	Scar- let Fever.	En- teric Fever.	Ery- sipelas	Total.
Weybourne ...	1		4			5
Cley ...				1		1
Gunton ...			1			1
Beckham, West ...					1	1
Runton ...			1			1
Metton ...			1			1
Mundesley ...			1			1
Holt ...		2			2	4
Felbrigg ...		1				1
Thorpe Market ...			2			2
Salthouse ...			7			7
Antingham ...			1			1
Bodham ...			4		1	5
Gresham ...					1	1
	1	3	22	1	5	32

The vital statistics show that the birth-rate was slightly lower than in 1902, being 26·47 as compared with 27·18 per 1,000 of the population.

The death-rate was practically the same, namely, 13·35 as compared with 13·59 per 1,000. There was only one death from notifiable zymotic disease, namely Diphtheria, as against 4 in 1902, and the infantile death-rate has declined from 111·84 per 1,000 registered births to 95·55. The number of deaths from Influenza is the same, namely 3. The deaths from Old Age were 22 as compared with 36, and from Cancer 15 as compared with 18.

The deaths from diseases of the respiratory organs were 40, namely, pneumonia 10, Bronchitis 15, Pleurisy 2, Phthisis and Tuberculosis 13. Measles was very prevalent and there were 10 deaths from this disease. It is unfortunate that in the popular

mind Measles is regarded as a disease which is not dangerous, and that it is not necessary to send for a doctor in all cases. It is probable that many lives are lost from this want of knowledge.

The cases of notifiable zymotic disease were 32 as compared with 45 in the previous year. This is the smallest number since notification was made compulsory.

**SMALL-POX.** There was one case of Small-pox at Weybourne which proved to be of a hybrid nature, and occurred in the early part of August, and is interesting as showing how easily this disease may be introduced into a district. During the early period of the epidemic of Small-pox at Cambridge, a party of boys came and stayed in the outbuildings of a farmhouse at Weybourne, and one of them became ill with typical symptoms of Chicken Pox. He recovered and returned home on the 7th July. On the 17th July an adult inmate developed similar symptoms and the illness was believed to be normal Chicken-pox, but doubtless was Chicken-pox manifest, Small-pox hidden. On the 4th August the farmer's wife was taken ill with severe symptoms of Small-pox. I had a consultation with the medical attendant and with Dr. Cooper Pattin, and the case was diagnosed as one of modified Confluent Small-pox; precautions to prevent the spread of the disease were carefully considered, including vaccination of all the inmates of the house. No further case occurred.

**DIPHTHERIA.** Three cases occurred with one death. This was the only death from notifiable zymotic disease, and occurred at Holt. The other two cases were at Holt and Felbrigg.

**SCARLET FEVER.** Twenty-two cases were notified as compared with fifteen in 1902. These were almost all imported, but the disease was no where of an epidemic nature.

**TYPHOID FEVER.** This was remarkable by its absence, only one case having occurred at Cley.

**ERYSIPELAS.** Five cases were notified as compared with eight in 1902.

No case of Puerperal Fever was notified.



The Erpingham Rural District is principally agricultural, with sea-side villages, which are popular holiday resorts in summer. The country is undulating and well wooded, with many streams.

The house accommodation for the working classes in most of the villages is not all that could be desired, and overcrowding is of frequent occurrence. It is difficult to remedy this state of things owing to the limited number of cottages.

The cleanliness of surroundings, owing to frequent inspection, is satisfactory.

The erection of new buildings receives no supervision, only as regards water supply, except in the parish of Mundesley, as the Building Bye Laws have not been adopted.

The parishes of Holt, Mundesley and Overstrand are fairly well drained, most of the houses giving the required fall being connected and in good order. Some houses in the parishes of Sidestrand and Northrepps, on the Overstrand boundary, are connected with the system there and are in good order.

At Holt some £2,000 has recently been expended in extension and the provision of tanks and contact beds at the sewage farm, the effluent being now fit for discharge into a stream.

At Mundesley the sewage is contained in a chamber and is discharged daily into the sea.

At Overstrand the sewage enters the sea by an iron outfall below low water at average tides. The effluent is not treated and is continually running.

The parishes of Cley and Briston require some early attention, and it is essential that some scheme should be devised.

Trunch requires attention at an early date owing to the water course which runs through this parish being used for the reception of slops.

The dry-earth system has been adopted where practicable, that is to say, where the occupiers had land to receive the soil.

At Mundesley the refuse is collected by the public scavenger once a week during winter and twice during summer.

Holt and Mundesley are supplied from deep wells under the control of the District, which provide a good supply of water.

Overstrand, East Runton, portions of Sidestrand, and Northrepps, are supplied from the Cromer Water Works.

Kelling has a good supply by gravitation in iron pipes from a spring above the village.

The Council has recently adopted, subject to the approval of the Local Government Board, the model Bye Laws for slaughter-houses, which will give the requisite authority.

In cases of notifiable infectious disease, notice is at once sent to the parents to direct them not to allow their children to mix with other children, to the schoolmaster to exclude all children in the family where the disease has occurred, and to the Sanitary Inspector, who visits the premises as soon as possible.

There is no Isolation Hospital in the District.

The Erpingham District has no factories and very few workshops.

Systematic inspections of the district have been made, including several visits to Weybourne where the case of Small-pox occurred.

16th April. I visited two cottages at Bodham with the Sanitary Inspector which were overcrowded.

14th May. I visited two houses in Holt where cases of Diphtheria had occurred.

The Board School at Mundesley was closed from the 13th May till the 4th June owing to an outbreak of Measles.

21st May. I visited Aylmerton with the Sanitary Inspector and inspected several tenements where overcrowding was said to exist.

6th June. The School at Knapton was closed till the 29th June owing to an outbreak of Measles.

12th June. I visited, with the Sanitary Inspector, a house at Mundesley that had been used for the reception of Phthisical patients and was to be occupied by visitors during the season. We were informed that it had been thoroughly disinfected. On the same day we visited Trunch and inspected a pond which receives drainage. I wrote to the Sanitary Authority recommending that the pond be filled up.

25th June. I attended a meeting of the Holt Parochial Sanitary Committee and advised that there should be public scavenging in Holt.

27th June. Gresham Board School was closed till the 27th July owing to an outbreak of Measles.

9th July. I visited a tenement at Cley, occupied by an old man of about 80 years of age. It was filthy and unfit for habitation. I suggested that application be made to the magistrates for compulsory closure. The tenant was removed to the Workhouse.

25th July. I went to Weybourne and enquired concerning a case of Scarlet Fever at Salthouse, notified on the 9th July, and three cases at Weybourne, notified on the 13th and 17th July. There could be no doubt that they were all to be traced to the original case at Salthouse, which had been imported into the district. In order to avoid an epidemic I advised the closing of Kelling School.

29th July. Trunch School was closed till 14th September owing to an outbreak of Measles, and Gresham School was to continue closed till the same date.

21st October. The Schools at Runton and Aylmerton were closed till the 19th November in consequence of an outbreak of Measles, and Roughton School from the 24th October till the 20th November from the same cause.

The Infant Class at Holt Board School was closed from the 16th November till 7th December owing to Measles, and also Bodham School from 18th December till the 18th January, 1904.

T. W. RICHARDSON,

MEDICAL OFFICER OF HEALTH.

35, Unthank Road,  
Norwich.



ERPINGHAM UNION  
RURAL SANITARY AUTHORITY.

---

---

SANITARY INSPECTOR'S REPORT.

---

---

GENTLEMEN,

In presenting my Third Annual Report, it gives me much pleasure in testifying to the very healthy state of the district—as fully described in the report of the Medical Officer of Health.

During the year I have visited nearly every house in the district, and reported upon 300 cases requiring attention, respecting which legal notices have been served on the persons concerned, and the majority of the nuisances have been abated or the work is at present in hand.

In inspecting the district I find it necessary to give frequent visits to some parishes to see that the work is satisfactorily done, and it is often possible to have defects remedied without having to send the legal notices under the direction of the Sanitary Authority.

Some of the schools in the district are far from being in the sanitary condition in which one could wish to find them, and I trust it may be possible that, under the new authority, we shall see some improvements carried out at an early date, especially in the Lavatory, Closet, Cloakroom, Ventilation, Lighting and Warming appliances.

The water supply of the district, owing to the increased rainfall, has somewhat improved, but it would be advisable for means to be devised for a better supply to be provided for the parishes of Roughton, West Runton, and Trunch.

The cases of overcrowding in the district are still very frequent, but owing to my endeavours I have been able to prevail upon some owners to rearrange the tenancies, and thereby give the desired accommodation to the tenants requiring additional room, without any great expense to the owner, or causing any hardship upon the occupants. In some cases this means is impossible, and to carry out my instructions to the letter, in every case, it would mean that a number of families would be homeless, owing to the lack of suitable cottage accommodation. And from a healthy and moral point it is very desirable that something should be done to meet the evil; it being possible to find in nearly every village two families existing in a four-roomed cottage.

The cases reported by me were similar to those of previous years. I find that to attend to my duties as required I have plenty to do, the district being very large, and my presence is often required at both ends of the district the same day.

During the year I have tested 120 new drains at Mundesley and Overstrand.

I have also disinfected 21 houses after cases of infectious disease.

In the year just ended the Council have had an improvement made in the sewerage scheme of the parish of Holt, at a cost of about £2,000, in extension of the sewer to receive the new Grammar School, etc., and in the building of Septic and Detritus Tanks, also Percolating Beds at the Sewage Farm, which have greatly improved the effluent.

I beg to remain, Gentlemen,

Yours obediently,

A. R. TUDDENHAM,

ASSOC. SAN. INST.

March, 1904.



# CROMER

## REGISTRATION SUB-DISTRICT.

### BIRTHS.

		Males.	Females.	Total.
Legitimate	...	61	69	130
Illegitimate	...	8	7	15
		<hr/> 69	<hr/> 76	<hr/> 145

Birth-rate=25·8 per 1000 of the population.

Increase of births over deaths=55.

### DEATHS.

Males.	Females.	Total.
31	59	90

Death-rate=16·05 per 1000 of the population.

Zymotic death-rate=10·7 per 1000 of the population.

Infantile death-rate=103·44 per 1000 registered births.

The Infantile death-rate is slightly lower than in 1902.

There were no deaths from Zymotic disease in 1902.

### Deaths according to Sex and Ages.

			Males.	Females.	Total.
Under 1 year	...		4	11	15
1 year and under 5 years			1	4	5
5 years	„	15	—	2	2
15	„	25	—	2	2
25	„	65	6	13	19
65	„	and upwards	20	27	47
			<hr/> 31	<hr/> 59	<hr/> 90

**Deaths according to Locality and Sex.**

Parishes.	Males.	Females.	Total.
Aldborough ...	1	—	1
Aylmerton ...	1	2	3
Baconsthorpe ...	1	4	5
Barningham Norwood	—	1	1
Barningham Winter ...	1	—	1
Beckham, East ...	—	1	1
Beckham, West ...	2	3	5
Bessingham ...	—	2	2
Felbrigg ...	1	—	1
Gresham ...	3	1	4
Hunworth ...	2	1	3
Matlask ...	2	6	8
Overstrand ...	3	5	8
Plumstead ...	2	3	5
Roughton ...	1	4	5
Runton ...	3	11	14
Sheringham, Upper ...	3	3	6
Thurgarton ...	1	2	3
Beckham Workhouse	4	10	14
	31	59	90

There were no deaths at Beeston Regis, Metton, or Sustead.

**The Causes of Death were as follows :**

	Under 5 yrs.	Over 5 yrs.	Total.
Measles ...	4	1	5
Whooping Cough ...	1	—	1
Influenza ...	—	2	2
Phthisis ...	—	3	3
Cancer ...	—	5	5
Bronchitis, Pneumonia, and Pleurisy ...	3	8	11
Heart Diseases ...	—	16	16
Other Diseases ...	12	35	47
	20	70	90

# CROMER SUB-DISTRICT.

ZYMOTIC DISEASE. The number of cases notified were as under :

PARISHES.	Diph-theria.	Scarlet Fever.	Ery-sipelas.	Total.	PARISHES.	DEATHS.		
						Whoop-ing Cough.	Measles.	Total.
Beckham, West	1		1	1	Sheringham,		1	1
Felbrigg				1	Upper			
Gresham			1	1	Matlask	1		1
Metton		1		1	Aylmerton		2	2
Runton		1		1	Runton		1	1
					Beckham Work-house		1	1
	1	2	2	5		1	5	6

CROMER SUB-DISTRICT.

BIRTHS.

DEATHS.

Sex.	Under 1 year.		1 year and under 5 yrs.		5 yrs. and under 15 yrs.		15 yrs. and under 25 yrs.		25 yrs. and under 65 yrs.		65 yrs. and upwards.		TOTALS.		Males.				Females.				Totals.
	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	Legitimate.		Illegitimate.		Legitimate.		Illegitimate.			
														Legitimate.	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.		
JANUARY	1								1		4	6	5	7	12	7	—	8	—	15			
FEBRUARY	1									1	1		1	2	3	6	—	3	2	11			
MARCH	1									1	2	4	2	7	9	3	1	5	—	9			
APRIL	1	1	2				2			5	1		2	10	12	9	—	2	—	11			
MAY													1	1	1	5	—	5	—	10			
JUNE										1	1	2	1	3	5	5	1	6	1	13			
JULY	1									1	1	3	1	6	7	2	1	8	—	11			
AUGUST	1									1	2	2	3	3	6	7	—	6	1	14			
SEPTEMBER										1	1	3	2	4	6	4	—	7	—	11			
OCTOBER	1									1	2	3	4	5	9	3	1	7	2	13			
NOVEMBER	1	3	1	1							1	2	3	6	9	4	2	5	—	11			
DECEMBER	2	1	1							1	2	4	4	7	11	6	2	7	1	16			
TOTALS	4	11	1	4		2	2	2	5	13	21	27	31	59	90	61	8	69	7	145			

# HOLT

## REGISTRATION SUB-DISTRICT.

### BIRTHS.

		Males.	Females.	Total.
Legitimate	...	102	79	181
Illegitimate	...	5	7	12
		<hr/> 107	<hr/> 86	<hr/> 193

Birth-rate=27·51 per 1000 of the population.

Increase of births over deaths=102.

### DEATHS.

Males.	Females.	Total.
46	45	91

Death-rate=12·97 per 1000 of the population.

Zymotic death-rate=·99 per 1000 of the population.

Infantile death-rate=108·8 per 1000 registered births.

The Zymotic and Infantile death-rates are lower than in 1902.

### Deaths according to Sex and Ages.

			Males.	Females.	Total.
Under 1 year	...		14	7	21
1 year and under 5 years			2	3	5
5 years	„	15	3	1	4
15	„	25	5	4	9
25	„	65	6	11	17
65	„	and upwards	16	19	35
			<hr/> 46	<hr/> 45	<hr/> 91



**Deaths according to Locality and Sex.**

Parishes.	Males.	Females.	Total.
Bodham ...	1	3	4
Briston ...	6	12	18
Cley ...	7	5	12
Edgefield ...	2	5	7
Glandford-cum-Bayfield	1	—	1
Hempstead ...	1	—	1
Holt ...	18	11	29
Hunworth ...	2	1	3
Kelling ...	1	2	3
Letheringsett ...	1	1	2
Salthouse ...	1	3	4
Stody ...	1	1	2
Thornage ...	2	1	3
Weybourne ...	2	—	2
	46	45	91

**The Causes of Death were as follows :**

	Under 5 yrs.	Over 5 yrs.	Total.
Diphtheria ...	—	1	1
Measles ...	2	2	4
Whooping Cough ...	2	—	2
Bronchitis, Pneumonia, and Pleurisy ...	2	7	9
Phthisis ...	—	6	6
Influenza ...	—	1	1
Heart Diseases ...	1	6	7
Accidents ...	—	3	3
Suicides ...	—	2	2
Cancer ...	—	5	5
Other Diseases ...	14	37	51
	21	70	91

# HOLT SUB-DISTRICT.

ZYMOTIC DISEASE. The number of cases notified were as under :

PARISHES.	Small-pox.	Diphtheria.	Scarlet Fever.	Typhoid Fever.	Erysipelas.	Total.	PARISHES.	DEATHS.			
								Whooping Cough.	Measles.	Diphtheria.	Total.
Bodham	...		4		1	5	Briston	1			1
Cley	...			1		1	Cley	1			1
Holt	...	2			2	4	Holt		3	1	4
Salthouse	...		7			7	Letheringsett		1		1
Weybourne	1		4			5					
	1	2	15	1	3	22		2	4	1	7

HOLT SUB-DISTRICT.

BIRTHS.

Sex.	DEATHS.										BIRTHS.		
	Under 1 year.	1 year and under 5 yrs.	5 yrs. and under 15 yrs.	15 yrs. and under 25 yrs.	25 yrs. and under 65 yrs.	65 yrs. and up- wards.	TOTALS.				Totals.		
	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	Males.	Females.	Totals.
JANUARY	2			1	1	2	1	5	2	7	12	1	22
FEBRUARY	3				1	2	3	3	6	9	12	—	18
MARCH	3	2		1			2	6	2	8	7	1	9
APRIL				1	2	1	3	4	3	7	3	1	14
MAY	1		1	1	1	1	1	1	4	5	11	1	23
JUNE	1			1		2		3	1	4	11	—	20
JULY	1	1			1	2	2	3	4	7	6	—	13
AUGUST	3	2			1		3	4	5	9	12	—	18
SEPTEMBER	1	1	1	1	1	3	1	6	5	11	6	1	13
OCTOBER	1			1	1	2		3	2	5	8	—	20
NOVEMBER		2	2	1	1	3		2	7	9	6	—	10
DECEMBER	1	1			1	4	2	6	4	10	8	—	13
TOTALS	14	7	2	3	3	1	5	4	6	11	102	5	193

# REPPS

## REGISTRATION SUB-DISTRICT.

### BIRTHS.

		Males.	Females.	Total.
Legitimate	...	54	56	110
Illegitimate	...	1	1	2
		<hr/> 55	<hr/> 57	<hr/> 112

Birth-rate=25·58 per 1000 of the population.

Increase of births over deaths=66.

### DEATHS.

Males.	Females.	Total.
26	20	46

Death-rate=10·5 per 1000 of the population.

Zymotic death-rate=·45 per 1000 of the population.

Infantile death-rate=62·5 per 1000 registered births.

The Zymotic death-rate is higher and the Infantile death-rate is lower than in 1902.

### Deaths according to Sex and Ages.

			Males.	Females.	Total.
Under 1 year	...		6	1	7
1 year and under 5 years			1	2	3
5 years	„	15	—	1	1
15	„	25	1	2	3
25	„	65	5	5	10
65	„	and upwards	13	9	22
			<hr/> 26	<hr/> 20	<hr/> 46

## Deaths according to Locality and Sex.

Parishes.		Males.	Females.	Total.
Antingham	...	1	—	1
Gimmingham	...	3	1	4
Knapton	...	—	2	2
Mundesley	...	5	3	8
Northrepps	...	5	1	6
Sidestrand	...	1	—	1
Southrepps	...	6	10	16
Suffield	...	1	1	2
Thorpe Market	...	1	2	3
Trimingham	...	1	—	1
Trunch	...	2	—	2
		26	20	46

## The Principal Causes of Death.

		Under 5 yrs.	Over 5 yrs.	Total.
Measles	...	1	—	1
Whooping Cough	...	1	—	1
Phthisis	...	—	2	2
Cancer	...	—	2	2
Bronchitis, Pneumonia		3	3	6
Heart Diseases	...	—	5	5
Other Diseases	...	5	24	29
		10	36	46



# REPPS SUB-DISTRICT.

ZYMOTIC DISEASE. The number of cases notified were as under :

PARISHES.	Scarlet Fever.	Total.	PARISHES.	DEATHS.		
				Whoop- ing Cough.	Measles.	Total.
Antingham	1	1	Mundesley		1	1
Gunton ...	1	1	Southrepps	1		1
Mundesley	1	1				
Thorpe Market	2	2				
	5	5		1	1	2

# REPPS SUB-DISTRICT.

## BIRTHS.

## DEATHS.

Sex.	Under 1 year.		1 year and under 5 yrs.		5 yrs. and under 15 yrs.		15 yrs. and under 25 yrs.		25 yrs. and under 65 yrs.		65 yrs. and upwards.		TOTALS.		Males.			Females.			Totals.
	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	Legitmt. Illegitmt. Legitmt. Illegitmt.			Legitmt. Illegitmt. Legitmt. Illegitmt.				
														Legitmt.	Illegitmt.	Legitmt.	Illegitmt.	Legitmt.	Illegitmt.	Legitmt.	
JANUARY							1			1	1	1	1	3	4	2	—	1	—	3	
FEBRUARY											1	3	1	3	4	6	—	4	—	10	
MARCH			1						1	1	1		2	2	4	8	—	8	—	16	
APRIL	2	1									2		4	1	5	4	—	2	—	6	
MAY	1		1				1				2		3	2	5	4	1	6	—	11	
JUNE	1								1	1	2		2	3	5	3	—	4		7	
JULY									1		2		3		3	4	—	4	—	8	
AUGUST							1			1	1		2	1	3	3	—	9	—	12	
SEPTEMBER	1		1								1	1	3	1	4	5	—	—	1	6	
OCTOBER										1	1		1	1	2	5	—	8	—	13	
NOVEMBER					1						1	1	1	2	3	4	—	5	—	9	
DECEMBER	1								1	1	1		3	1	4	6	—	5	—	11	
TOTALS	6	1	1	2	1	1	1	2	5	5	13	9	26	20	46	54	1	56	1	112	

ESTIMATED POPULATION FOR 1903 ... 4378.

T. W. RICHARDSON, Medical Officer of Health.

